

Wideband Omni-Directional High-Power

20 - 1000 MHz

Product Code: DIPL-A0045

VERSION: 3.0



SPECIFICATIONS

| Electrical: | |
|----------------------------|----------------------------------|
| Frequency range | 20 – 1000 MHz |
| VSWR | < 3:1 over 80% of the band |
| | (See graph) |
| Nominal input impedance | 50 Ω |
| Feed power handling | 500 W CW |
| Gain | See graph |
| Polarisation | Vertical |
| Connector | 7/16 female |
| | |
| Mechanical: | |
| Dimensions (h x w) | 6 m x 2 m |
| Weight | 36 kg |
| Material | Aluminium, fibreglass and |
| | stainless steel |
| | |
| Environmental: designed to | meet the following specification |
| Wind survival | 160 km/h |

PRODUCT DESCRIPTION:

The DIPL-A0045 is an omni-directional high-powered EW antenna that operates over the 20 to 1000 MHz frequency band with a VSWR of less than 3:1 over 80% of the band.

PRODUCT FEATURES:

- Wideband
- Omni-directional azimuth pattern
- High-power handling
- Distributed loading is used to prevent elevation radiation pattern break up
- Lightweight
- Waterproof
- Quick assembly
- Mast-mounted
- Small and compact packaging


Wideband Omni-Directional High-Power Antenna


20 - 1000 MHz

Product Code: DIPL-A0045 VERSION: 3.0

VSWR AND GAIN GRAPHS:

VSWR:





Gain:

