


VERSION: 1.0

Tri Port High-Power LPDA Antenna

400 – 6000 MHz

Product Code: LPDA-A0167

SPECIFICATIONS:





• Wideband frequency 400 to 6000 MHz

VSWR < 2.0:1High gain: > 7 dBi

Rugged construction

Ice resistant

PRODUCT APPLICATIONS:

Wideband

High-Power

PRODUCT DESCRIPTION:

The LPDA-A0167 tri port directional log-periodic dipole array (LPDA) is primarily designed for high-power applications. It covers a frequency band of 400 to 6000 MHz with a gain of greater than 7 dBi.

The antenna provides three separate ports for simultaneous transmission in all bands with good isolation between bands.

The antenna is completely encapsulated in a radome. The antenna is provided with a mounting bracket.



sales@alaris.co.za www.alarisantennas.com

GAIN THE ADVANTAGE


Tri Port High-Power LPDA Antenna

400 - 6000 MHz


Product Code: LPDA-A0167 VERSION: 1.0

VSWR AND GAIN GRAPHS:

Typical VSWR:



GAIN:





sales@alaris.co.za www.alarisantennas.com

GAIN THE ADVANTAGE

Tri Port High-Power LPDA Antenna

400 - 6000 MHz

Product Code: LPDA-A0167 Version: 1.0

RADIATION PATTERNS:

