

High Gain GSM/3G/LTE Vehicle Antenna HD727XM

The HD727XM is a high gain omni antenna covering GSM, 3G, 4G LTE and 5G bands. The antenna is particularly suited for high power jamming applications.

- High power rating
- Optimised performance for GSM, 3G, 4G and 5G frequency bands
- · Rugged antenna construction with shock absorption spring
- No ground plane required

Product details*		
Frequency range	700 - 2700 MHz	
Matching	Passive	
Polarization	Nominally vertical	
Antenna type	Wideband dipole array	
Radiation pattern	Omnidirectional	
Gain (typical)	Measured patterns on request	
VSWR	≤ 3.5	
Nominal Impedance	50 Ω	
Power rating (RMS)**	700 - 1000 MHz : 175 W (P _{max1})	
	1000 - 2200 MHz: 135 W (P _{max2})	
	2200 - 2400 MHz: 100 W (P _{max3})	
	2400 - 2700 MHz: 80 W (P _{max4})	
Standard color	Black	
Radiator	Radome protected	
Height	605 mm	
Weight	1.8 kg	

Installation*		
RF connection	Female N-type	
Mounting	4-hole US and 3/6-hole NATO pattern mount	
*Consifie adjustments on reg	uppt	

Specific adjustments on request

** Sum of input powers (P) should not exceed the limit of $1 \ge P_1/P_{max1}+P_2/P_{max2}...$

Order number	Product
HD727XM	Antenna as described above

Accessory: In combination with the MS1 (antenna mast mount) the antenna can also be used for mast mounting and other fixed installations.

V1.0w Date 16.09.2022

Page 1/1

Copyright © All rights reserved.

We reserve the right to change the product specification without notice. Values may vary due to tolerances. COJOT OY, Päivänkakkarantie 10, 02270 ESPOO, FINLAND. Comp.reg.no 06204653

www.cojot.alaris.tech